

# INDEX MAPS.

## T.26N. R.12E. 2<sup>nd</sup> Mer.

	358		358		358		357		357		357	
360	6	385	5	378	4	374	3	370	2	365	1	356
	384		384		378		374		369		365	
360	7	383	8	378	9	373	10	369	11	364	12	356
	383		383		377		373		369		364	
360	18	382	17	377	16	373	15	368	14	363	13	356
	382		381		377		372		368		363	
359	19	381	20	376	21	372	22	367	23	363	24	355
	381		380		376		372		367		362	
359	30	380	29	376	28	371	27	367	26	362	25	355
	380		379		375		371		366		361	
359	31	379	32	375	33	370	34	366	35	361	36	355
	354		354		354		353		353		353	

Meander of the Grabash 386

## T.27N. R.12E. 2<sup>nd</sup> Mer.

	396		396		396		395		395		395	
398	6	421	5	415	4	411	3	407	2	402	1	394
	421		421		415		410		406		402	
398	7	420	8	415	9	410	10	406	11	402	12	394
	422		420		414		410		406		401	
398	18	420	17	414	16	409	15	405	14	401	13	394
	419		419		413		409		405		401	
397	19	418	20	413	21	409	22	404	23	400	24	393
	418		417		413		408		404		400	
397	30	417	29	412	28	408	27	404	26	399	25	393
	417		416		411		407		403		399	
397	31	416	32	411	33	407	34	403	35	399	36	393
	392		392		392		391		391		391	

Meander of the Grabash 404

391

Township 27 North, Range 12 East 2<sup>nd</sup> Ma. Ia.

Ch. Lk.

South Boundary.

Var. 6<sup>th</sup> or 8.

West On S. side of Sec. 36.

1. 12 a Hickory 14 in. diam.

40.00 Set gr. Sec. post, from which  
a Wh. Oak 28 in. dia. brs. N 44 E. 9 lb. dist. &  
a Do. 24 " " " S 39 W. 34 " "

59.72 a Do. 12 " "

60.15 a Brook 15 lb. wide c. S.W.

80.00 Set post cor. of Secs 35 & 36, fr. wh.  
a Wh. Oak 24 in. dia. brs. S 35 E. 26 lb. dist.  
& a Hickory 18 " " " N 49 W. 27 " "  
Land Rich Lim. Hickory, Oak &c.

West On S. side of Sec. 35.

40.00 Set gr. Sec. post, from which  
a Wh. Oak 15 in. dia. brs. N 54 E. 18 lb. dist. &  
a Do. 20 " " " " West 50 " "

61.39 a Sugar 20 " "

80.00 Set post for cor. of Secs 34 & 35, fr. wh.  
a Wh. Oak 30 in. dia. brs. N 80 E. 15 lb. dist.  
a Do. 31 " " " S 83 W. 30 " "  
Land, as above.

West On S. side of Sec. 34.

31.37 an Elm 20 in. diam.

38.50 a Brook 25 lb. wide crs. S.W.

40.00 Set gr. Sec. post, from which  
a Locust 12 in. dia. brs. S 13 E. 9 lb. dist. &  
an Oak 12 " " " N 16 E. 10 " "

50.73 a Beech 15 " "

80.00 Set post for cor. of Secs 33 & 34, fr. wh.  
a Wh. Oak 7 in. dia. brs. S 40 E. 6 lb. dist. &  
a Maple 20 " " " N 70 W. 24 " "  
Land as above.



T. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ga.

Chs. M.

West On S. Side of Sec. 33.

12.00 To River & set post, from which  
an Ironwood 7 in. dia. bs. S 76 E. 7 1/2 W. dist.

33.00 set post, from which  
a Bl. Oak 20 in. dia. bs. N 16 E. 24 W. dist.  
a Do. 14 " " " S 74 E. 27 " "

40.00 set gr. Sec. post, from which  
a Beech 12 in. dia. bs. S 30 E. 12 W. dist.  
a Do. 14 " " " N 75 W. 24 " "

80.00 set post Cor. to Sec. 32 & 33, fr. wh.  
a Cherry 10 in. dia. bs. S 3 E. 5 W. dist.  
a Dogwood 6 " " " N 3 W. 13 " "  
Land Rich Lim. Beech, Oak &c.

West On S. Side of Sec. 32.

40.00 set gr. Sec. post, from which  
a Beech 18 in. dia. bs. N. W. 41 W. dist.  
a Sugar 30 " " " S 33 E. 45 " "

44.50 a Brook 20 W. wide C. N.

80.00 set post Cor. of Sec. 31 & 32, fr. wh.  
a Buckeye 8 in. dia. bs. N 44 W. 18 W. dist.  
a Walnut 40 " " " S 18 E. 20 " "  
Land, the same.

West On S. Side of Sec. 31.

31.00 a Brook 15 W. wide C. N.

40.00 set gr. Sec. post, fr. wh.  
an Oak 12 in. dia. bs. S 88 W. 7 W. dist.  
a Bl. Oak 8 " " " S 42 E. 15 " "

66.50 a Brook 25 W. wide C. N.

67.50 a Walnut 24 in. dia.

77.50 Intersect the N. line Betw. S. 27 & 28.  
North R. 11 & 12 E. minimum  
Land Rich. Lim. Beech, Oak, &c.

Surveyed in 1820. John M. C. Donald, D.S.

T. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ga.

393

Ch. Lk.

East Boundary.

N. 5° 35' E.

North on E. side of sec. 36.

16.33 an Ash 12 in. dia.

41.00 set gr. sec. post, from which  
a Beech 8 in. dia. bs. S 19° E. 16 ft. dist. &  
a Bl. Oak 12 in. " " N 15° W. 44 " "

50.84 a Wh. Oak 24 in. diam.

80.00 set post cor. to sec. 25 & 36, fr. wh.  
a Hickory 18 in. dia. bs. N 24° W. 20 ft. dist. &  
an Ash 8 " " " S 45° E. 22 " "  
Land rich. Limb. Beech, Oak &  
Hickory &c.

North on E. side of sec. 25.

19.94 an Ash 18 in. diam.

40.00 set gr. sec. post, fr. wh.  
an Oak 20 in. dia. bs. N 21° E. 16 ft. dist. &  
a Bl. Oak 20 in. " " S 21° W. 24 " "

46.60 a Bl. Oak 12 " diam.

48.50 a Brook 20 ft. wide c. S. W.

80.00 set post cor. to sec. 24 & 25, fr. wh.  
a Beech 18 in. dia. bs. S 26° E. 11 ft. dist. &  
a Do. 15 " " " S 62° E. 16 " "  
Land, as above;

North on E. side of sec. 24.

23.11 an Ash 9 in. diam.

40.00 set gr. sec. post, from which  
a Spruce 24 in. dia. bs. S 29° W. 2 ft. dist. &  
a Beech 8 " " " N 34° W. 12 " "

66.05 a Poplar 24 in. dia.

80.00 set post cor. to sec. 13 & 24, fr. wh.  
a Bl. Oak 10 in. dia. bs. N 5° E. 16 ft. dist. &  
an Ash 7 " " " S 25° W. 13 " "  
Land, Rich. Limb. Beech & Poplar &c.

394 of T. N. R. 12 E. 2<sup>nd</sup> Mer. La.

Ch. 2<sup>nd</sup>

North Cen E. Side of Sec. 13.

26.00 a Maple 18 in. diam.

40.00 set gr. sec. post, from which  
a Beech 18 in. dia. bas. N 60 W. 7 1/2 lb. dist.  
an Iron 7 in. " " S 51 E. 13 1/2 lb. dist.

57.80 an Elm 20 in. dia.

80.00 set post Cor. to Sec 12 & 13, fr. which  
a Sugar 20 in. dia. bas. N 25 W. 9 lb. dist.  
a Coffeenut 12 " " " S 89 E. 19 " "  
Land &c. the same as last mile.

North Cen E. side of Sec. 12.

18.45 an Ash 18 in. diam.

40.00 set gr. sec. post, from which  
a Hickory 14 in. dia. bas. N 32 W. 26 lb. dist.  
an Ash 12 " " " S 60 E. 26 " "

48.65 a Cotton wood 24 in. dia.

80.01 set post for Cor. of Sec. 12 & 13, fr. wh.  
a Maple 18 in. dia. bas. N 87 W. 20 lb. dist.  
a Do. 16 " " " N 83 E. 14 " "  
Land, as above.

North Cen E. side of Sec. 1.

30.91 a Sycamore 14 in. dia.

40.60 set gr. sec. post, from wh.  
a Sycamore 30 in. dia. bas. N 40 E. 9 lb. dist.  
a Spruce 16 in. dia. bas. N 88 W. 10 " "

41.51 a Sycamore 24 in. dia.

85.50 Intersect & set post for Cor. of T. N.  
27 & 28, N. R. 12 & 13 E. from which  
a Spruce 8 in. dia. bas. N 40 W. 6 lb. dist.  
a Sugar 8 " " " N 60 E. 24 " "  
Land, Rich. Limb, Beech, Oak &c.  
March the 9<sup>th</sup> 1820.

Surveyed By

John M. Donato, D.S.



395

T. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Ch. & W.

North Boundary.

N. 6.° 15' E.

West On S. Side of Sec. 36. T. 28 N. R. 12 E.

39.00 a Brook 25 ft. wide c. N. E.

40.00 Set gr. sec. post, fr. wh.

a Beech 15 in. dia. brs. S 69 E. 22 ft. dist.

a Hickory 24 in. " " N 10 W. 45 " "

42.46 a Beech 8 in. diam.

80.00 Set post Cor. to Sec. 35 & 36, fr. wh.

a Beech 12 in. dia. brs. N 10 W. 13 ft. dist.

a Do. 13 " " " S 4 E. 27 " "

Land Rich. Limbs Beech, Ash.

---

West On S. Side of Sec. 35. T. 27 N. R. 12 E.

22.73 a Wh. Oak 12 in. diam.

40.00 Set gr. sec. post, from which

a Beech 10 in. dia. brs. N 41 W. 24 ft. dist.

a Do. 20 " " " S 3 E. 26 " "

70.73 a Do. 14 " "

80.00 Set post Cor. of Sec. 34 & 35, fr. wh.

a Maple 24 in. dia. brs. N 66 W. 13 ft. dist.

a Beech 20 " " " S 38 E. 36 ft. dist.

Land, as above.

---

West On S. Side of Sec. 34. T. 28 N. R. 12 E.

5.36 a Bl. Oak 24 in. diam.

40.00 Set gr. sec. post, from which

a Beech 18 in. dia. brs. S 64 E. 32 ft. dist.

a Buckeye 4 in. dia. " " N 84 W. 2 " "

60.14 a Beech 15 " "

80.00 Set post Cor. to Sec. 33 & 34, fr. wh.

an Elm 20 in. dia. brs. N 25 E. 5 ft. dist. and

an Ash 18 " " " S 51 W. 28 " "

Land, as above.

---

West On S. Side of Sec. 33. T. 28 N. R. 12 E.

S. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. a

Ch. No.

West On S. side of sec. 33, T. 28 N. R. 12 E.  
 40.00 Set gr. sec. post, fr. wh.  
 a Beech 13 in. dia. bus. N 87 W. 9 lb. dist.  
 a Do. 20 " " " S 45 E. 31 lb. dist.  
 63.05 a Hickory 20 in. dia.  
 74.00 a Brook 25 lb. wide c. S. W.  
 80.00 Set post cor. to sec. 32 & 33, fr. wh.  
 a Beech 16 in. dia. bus. N 44 W. 14 lb. dist. &  
 a Do. 30 " " " N 56 E. 27 " "  
 Land, as above.

West On S. side of sec. 32, T. 28 N. R. 12 E.  
 25.05 an Ash 8 in. dia.

40.00 Set gr. sec. post, from which  
 a Hickory 15 in. dia. bus. N 35 E. 10 lb. dist.  
 a Beech 11 " " " S 77 W. 19 " "

62.12 a Hickory 14 " "

80.00 Set post cor. to sec. 31 & 32, fr. wh.  
 a Ash. Oak 20 in. dia. bus. N 74 W. 32 lb. dist.  
 a Beech 10 " " " S 44 W. 19 lb. dist.  
 Land, as before.

West On S. side of sec. 31, T. 28 N. R. 12 E.  
 5.41 a Sugar 8 in. dia.

33.50 a Brook 15 lb. wide c. S. W.

40.00 Set gr. sec. post, fr. wh.  
 a Beech 15 in. dia. bus. S 90 W. 14 lb. dist.  
 a Hickory 15 " " " S 67 E. 10 " dist.

74.50 a Beech 15 " "

77.00 Intersect N. line Bldg. Towns.  
 27 & 28, North, Ranges 11 & 12  
 East,  
 Land, Rich. Limb. Beech & Oak.  
 Surveyed in March 1820.

By

John M. Donald, D.S.



397

T. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. <sup>a</sup>  
Ch. 1<sup>st</sup> 1/2

### West Boundary.

North On E. side of Sec. 36. T. 27 N. R. 11 E.  
4.44 a Sugar 14 in. diam.  
40.00 Set op. sec. post. from which  
a Beech 9 in. dia. bas. N 17 E. 24 lb. dist.  
an Elm 14 " " " S 58 W. 8 " "  
41.35 a B. Oak 36 " "  
80.00 Set post cor. to sec. 25 & 36. fr. wh.  
a Beech 16 in. dia. bas. S 60 E. 7 lb. dist.  
a Sugar 18 " " " N 30 E. 8 " "  
Land, Rich. Tim. Beech. Sugar  
Oak &c.

---

North On E. side of Sec. 25. T. 27 N. R. 11 E.  
4.90 a Hickory 19 in. dia.  
40.00 Set op. sec. post. fr. wh.  
a Poplar 7 in. dia. bas. N 41 W. 22 lb. dist.  
a Beech 28 " " " S 41 E. 18 " "  
40.95 an Ash 20 in. diam.  
80.00 Set post cor. to sec. 24 & 25. fr. wh.  
a Buckeye 10 in. dia. bas. N 9 W. 16 lb. dist.  
a Beech 10 " " " S 3 E. 16 " "  
Land, the same as before.

---

North On E. side of Sec. 24. T. 27 N. R. 11 E.  
2.39 a Sugar 8 in. diam.  
40.00 Set op. sec. post. from which  
an Elm 18 in. dia. bas. N 60 E. 8 lb. dist.  
a Spruce 20 " " " N 30 W. 9 " "  
43.21 an Ash 18 in. diam.  
80.00 Set post cor. to sec. 13 & 24. fr. wh.  
a Buckeye 10 in. dia. bas. S 87 W. 7 lb. dist.  
a Yph. Oak 23 " " " N 46 E. 19 " "  
Land the same.

T. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ia.

Ch. W.

North On E. side of sec. 13, T. 27 N. R. 11 E.

40.00 Set gr. Sec. post, fr. wh.

a Buckeye 8 in. dia. brs. N 40 W. 15 lb. wt.

a Sugar 20 " " " S 55 E. 17 " "

73.14 a Do. 24 " "

80.00 To Wabash River & Set post for  
cor. of sec. 12 & 13, fr. wh.

a Sugar 30 in. dia. brs. N 79 W. 69 lb. wt.

& a Buckeye 12 " " " N 74 E. 30 " "

Land 1<sup>st</sup> rate. Lim. Sugar &c.

North On E. side of sec. 12, T. 27 N. R. 11 E.

3.50 Set post on bk. of River, fr. wh.

a Walnut 20 in. dia. brs. S 43 E. 13 lb. wt.

a Sugar 24 " " " N 64 W. 21 " "

11.20 a Buckeye 8 in. diam.

40.00 Set gr. Sec. post, from wh.

a Sugar 20 in. dia. brs. N 72 W. 13 lb. wt.

a Do. 18 " " " S 23 E. 13 " "

43.21 a Beech 7 " "

80.00 Set the post for cor. of sec. 12 & 13, fr. wh.

a Beech 10 in. dia. brs. S 12 E. 14 lb. wt. &

an Elm 36 " " " N 24 E. 39 " "

Land, the same as before.

North On E. side of sec. 1, T. 27 N. R. 11 E.

2.00 an Elm 12 in. diam.

40.00 Set gr. Sec. post, from wh.

unknown wood 8 in. dia. brs. N 18 E. 14 lb. wt.

a Do. 8 " " " S 79 W. 5 " wt.

an Ash 26 in. diam.

83.60 Set post cor. to sec. 1, 6, 31 & 36, and

T. 27 & 28 N. R. 11 & 12 E. from which

a Wh. Oak 30 in. dia. brs. N 26 W. 22 lb. wt. &

a Beech 11 " " " S 22 E. 11 " "

Land, Rich. Limb. Beech, Ash &c.

399  
S 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ga.  
Ch. W.

Surveyed in 1820.

By John M. C. Donald, D.S.

### Subdivisions

Var. 5° 35' E.

North Between sections 35 & 36.

Sunday May 26 or 27<sup>th</sup>

22.50 a Wh. Ash 10 in. diam.

40.00 Set gr. sec. post. from which  
a Wh. Oak 10 in. dia. bs. N 30 E. 18 lb. wt.  
a Do. 14 " " " S 30 W. 20 " "

60.00 a Dogwood 6 in. dia.

80.00 Set post cor. to sec. 25, 26, 35 & 36,

a Wh. Oak 30 in. dia. bs. N 35 E 3 lb. &

a Do. 14 " " " S 35 W. 8 lb. wt.

Land, rolling at 3<sup>rd</sup> rate. Tim.  
principally Oak, Hickory and  
Beech. und. 8<sup>th</sup>. Hickory Horn. & Beech.

East On Random Betw. sec. 25 & 36.

21.50 a Wh. Ash 10 in. dia.

40.00 Set temporary gr. sec. post.

60.90 a Beech 8 in. dia.

79.50 Intersect E. boundary. 50 lb. S. of post

Land, flat wet. Tim. Ash, Elm,

Oak, Hickory and Beech, same

und. 8<sup>th</sup>. Smith Spice & Ash.

West correct line Betw. sec. 25 & 36.

18.60 an Ironwood 7 in. dia.

39.75 Set gr. sec. post. fr. wh.

an Iron 5 in. dia. bs. S 44 E. 5 lb. wt.

& a Do. 5 " " " N 44 W. 5 " "

79.50 Sec. cor.

North Between sec. 25 & 26.

400 of J. J. N. R. 12 E. 2<sup>nd</sup> Mer. Pa.

Ch. P. W.

19.70 a Walnut 15 in. dia.  
40.00 set gr. Sec. post, from wh.  
a wh. Oak 13 in. dia. bears S 7 E. 31 lb.  
+ a Do. 15 " " " N 6 W. 40 lb. dist.  
60.75 a Wh. Oak 15 in. dia.  
62.50 a Steam 10 lb. wide c. W.  
80.00 set post Cor. to Sec. 23, 24, 25 & 26. from wh.  
an Elm 5 in. dia. bears N 45 W. 28 lb. dist.  
a Buck 14 " " " S 2 E. 50 " "  
Land rolling 3<sup>rd</sup> rate. very  
plenty of undergrowth. Soil same.

---

East Between Sec. 24 & 25.

12.50 a Steam 8 lb. wide c. S. W.  
20.00 an Greenwood 8 in. diam.  
40.00 set gr. Sec. post. (empty)  
60.50 a wh. Ash 8 in. diam.  
56.00 a Steam 8 lb. wide c. N. W.  
80.30 intersect E. bdy. 20 lb. N. of post.  
Land, good 3<sup>rd</sup> rate level. Soil  
the same & plenty of undergrowth.

---

West corner line bet<sup>n</sup> Sec. 24 & 25.

19.60 a Beech 12 in. dia.  
80.15 set gr. Sec. post, from which  
a wh. Oak 12 in. dia. bears North, 25 lb. dist.  
a Buck 16 " " " S 8 W. 15 " "  
80.30 Sec. Cor.

---

North Between Sec. 23 & 24.

22.00 a Sugar 8 in. diam.  
40.00 set gr. Sec. post, from which  
a Sugar 10 in. dia. bears South, 16 lb. dist.  
a Do. 12 " " " N 24 E. 20 " "  
40.50 a Steam 8 lb. wide c. N. W.  
60.00 a Wh. Oak 26 in. diam.



27 N. R. 12 E. 2<sup>nd</sup> Mer. Ga.

80.00 Set post, cor. to Sec. 13, 14, 23 & 24  
a Wh. Oak 18 in. diam. North, 27 lb. dist.  
an Ironwood 6 in. " " S 34 E. 6 " "  
Land, flat wet in places. Soil  
& und. gth. same.

Monday May. 29<sup>th</sup>

East On Random Bet<sup>n</sup> Sec. 13 & 24.

20.15 a Beech 12 in. diam.  
40.00 Set gr. sec. post. (Lumpy.)  
60.40 a Beech 10 in. diam.  
80.15 Intersect E. boundary. 15 lb. N. of Post.  
3/4<sup>th</sup> of this mile, good land, tall  
gr. wet Soil. &c. the same.

West Corner line Bet<sup>n</sup> Sec. 13 & 24.

19.75 a W. Oak 6 in. diam.  
40.07 Set post gr. sec. from wh.  
a Beech 5 in. dia. Dis. N 56 W, 27 lb.  
a Do. 12 " " " S 75 E, 25 " dist.  
80.15 Sec. cor.

North Between Sec. 13 & 14.

20.40 a Bl. Ash 12 in. diam.  
40.00 Set gr. sec. post, fr. wh.  
a Wh. Ash 10 in. dia. Dis. S 76 E, 12 lb. dist.  
a Beech 14 " " " S 68 W, 17 " dist.  
62.10 a Beech 12 " "  
80.00 Set post cor. to sec. 11, 12, 13 & 14,  
an Elm 6 in. dia. Dis. S 80 E, 24 lb. dist.  
a Bl. Ash 7 " " N 75 W, 6 " "  
Land, flat wet Soil. and  
und. gth. same.

East On Random Bet<sup>n</sup> Sec. 12 & 13.

20.00 a Hickory 12 in. diam.



402

T 27 N. R. 12 E. 2<sup>nd</sup> Ma. Ga.

Ch. Hk.

40.00 Set temporary gr. sec. post.

59.90 a Beech 8 in. dia.

80.00 Intersect Co. boundary line at post.  
Land &c, the same.West Correct line Bet<sup>n</sup> Secs 12 & 13.40.00 Set gr. sec. post, from which  
a Bl. Ash 15 in. dia. bears N 70 W, 25 lks. dist.  
an Elm 18 " " " S 40 E. 30 lks. dist.

80.00 Sec. cor.

North Between Secs 11 &amp; 12.

16.50 a stream 5 lks. wide c. Co.

19.80 an Elm 16 in. dia.

40.00 Set gr. sec. post, from which  
an Elm 14 in. diam. bears N 15 W, 4 lks. dist.  
an Elm 15 " " " S 60 W, 35 " "

60.60 a Maple 6 " "

80.00 Set post cor. to Secs. 1, 2, 11 & 12,  
a Spruce 10 in. dia. bears S 82 E, 15 lks. dist.  
a Chickney 15 " " " S 68 W, 13 " "  
Land &c, the same.Monday May 27<sup>th</sup>East On Random Bet<sup>n</sup> Secs 1 & 12.

20.20 a Cottonwood 30 in. diam.

40.00 Set temporary gr. sec. post.

60.40 a Beech 12 in. diam.

80.50 Intersect Co. bdy. 50 lks. N. of post.  
Land & Limbs same.West Correct line Bet<sup>n</sup> Secs 1 & 12.

20.00 a Sugar 14 in. diam.

40.25 Set gr. sec. post, from which  
an Elm 18 in. dia. bears S 5 E. 12 lks. &c.

80.50 sec. cor

of 27 N. Sec. 12 E. 2<sup>nd</sup> Me. Ga.

403

Ch. M.

North Between Sec. 1 & 2.

20.75 a Sugar 14 in. dia.

40.00 Set gr. sec. post, from which  
a Beech 13 in. dia. bus. N 71 W. 8 lb. dist.  
a Sugar 14 " " " S 71 E. 45 " "

60.00 a Do. 10 " "

80.75 Intersect N. Bdy. 60 lb. E. of post &  
set post Cor. to Sec. 1 & 2, gr. wh.  
a Beech 12 in. dia. bus. S 51 W. 25 lb. dist.  
a Do. 6 " " " S 50 E. 15 " "  
Land 1<sup>st</sup> half mile Land & Lin.  
the same 2<sup>nd</sup> day & rolling. Timber  
and mud. 8th. the same.

North Between Sec. 34 & 35.

18.75 a Beech 12 in. dia.

40.00 Set gr. sec. post, from which  
a Wh. Ash 16 in. dia. bus. N 81 E. 14 lb. dist.  
a Beech 12 " " " N 39 W. 15 " "

59.50 a Wh. Ash 6 " "

65.01 a Stream 10 lb. wide C. S. W.

80.01 Set post Cor. to Sec. 26, 27, 34 & 35.  
a Beech 16 in. dia. bus. S 57 E. 14 lb. dist.  
a Hickory 12 " " " N 5 W. 6 " "  
Land, day rolling 3<sup>rd</sup> rate. Lin.  
Beech, Oak, Hickory, Elm, Ash &c.  
Some Spruce & Sugar mud. 8th.  
very plenty of all most every kind.

East On Random Bet<sup>n</sup> Sec. 26 & 35.

19.40 a marked tree,

20.00 a Stream 10 lb. wide C. S. W.

40.00 Set temp. gr. post.

61.10 a Wh. Oak 12 in. diam.

80.00 Intersect E. bdy. at post.  
Land &c. the same.

404 of J. J. H. No. 12 E. 2<sup>nd</sup> Mer. Ga.

Ch. M.

West correct line Bet<sup>n</sup> Sec. 26 & 35.

40.00 set gr. Sec. post, fr. wh.  
a R. Oak 18 in. dia. bs. N 39 W. 30 W. &  
an Ironwood 5 " " " S 39 E. 5 " dt.

80.00 Sec. cor.

North Between Sec. 26 & 27.

20.15 an Ironwood 5 in. diam.

40.00 set gr. Sec. post, fr. wh.  
a Hickory 10 in. dia. bs. S 64 W. 12 W.  
an Iron " 4 " " " N 64 E. 10 " dt.

61.20 a wh. Oak 20 in. dia.

80.00 set post cor. to Sec. 22, 23, 26 & 27.  
a wh. ash 10 in. dia. bs. S 81 W. 40 W.  
a do. 6 " " " " N 81 E. 12 " dt.

Land &c, the same.

Tuesday May 28<sup>th</sup> 1822.

East An Random Bet<sup>n</sup> Sec. 23 & 26.

20.50 a R. Oak 10 in. diam.

40.00 set tempy. gr. Sec. post.

60.50 a Hickory 8 in. diam.

68.50 a stream 8 W. wide C. S. W.

79.80 Intersect E. line at post.

Land dig and level 3<sup>d</sup> rate.

Lin. & und. gth. the same.

West correct line Bet<sup>n</sup> Sec. 23 & 26.

39.90 set gr. Sec. post, fr. wh.  
an Ironwood 5 in. dia. bs. S 10 W. 11 W. &  
a do. 4 " " " " N 20 E. 18 " dt.

79.80 Sec. cor.

North Between Sec. 22 & 23.

19.85 a wh. ash 5 in. diam.

40.00 set gr. Sec. post, fr. wh.

S 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. a  
Ch. No.

a Beech 8 in. dia. bas. S 76 W. 14 lb. dist. X  
a Wh. Oak 12 " " " N 63 E. 18 " "  
60.50 a B. Oak 14 in. diam.  
80.00 Set post cor. to sect 14, 15, 22 & 23 f. wh.  
a Beech 15 in. dia. bas. N 63 E. 18 lb. dist. X  
a Do. 9 " " " S 65 W. 24 " "  
Land flat & wet. swampy places.  
Timber &c. the same & lies und. & the.

East On Mandan Bet<sup>n</sup> Sect 14 & 23.  
20.50 a Bl. Ash 6 in. dia.  
26.10 a stream 8 lb. wide c. s.  
40.00 Set tempy. gr. sec. post.  
61.40 a Wh. Ash 10 in. dia.  
79.80 Intersected E. boundary 28 lb. s. of post.  
Land, level wet in general  
The timber &c. the same.

West Corner line Between Sect 14 & 23.  
18.40 a Bl. Ash 12 in. diam.  
39.90 Set gr. sec. post. f. wh.  
a Beech 12 in. dia. bas. N 44 W. 5 lb. dist.  
a Sugar 16 " " " S 5 W. 41 " "  
59.30 Beech 18 " "  
79.80 Sec. cor.

North Between Sect 14 & 15.  
19.90 a Bl. Ash 14 in. dia.  
29.00 Entered Swamp lies principally to E.  
39.00 Cropped the same.  
40.00 Set gr. sec. post. f. wh.  
a Beech 8 in. dia. bas. S 76 E. 6 lb. dist.  
an Ironwood 6 " " N 3 W. 47 " "  
60.00 a Wh. Ash 27 in. dia.  
80.00 Set post cor. to sect 10, 11, 14 & 15. f. wh.  
a Willow 16 in. dia. bas. N 79 W. 26 lb. dist.



27 N. R. 12 E. 2<sup>nd</sup> Ma. Ga.  
 Ch. Lk.

a Sup. Poplar 8 in. dia. bet. 179 E. 13 W.  
 Land flat swampy. Timber: Cotton-  
 Elm, Ash, Beech, Hickory, Oak,  
 Hickory, Mud, 8th. Alder, Spice  
 P. Ash, Gooseberry. &c.

East On Random Bet<sup>n</sup> Sec. 11 & 14.

22.75 a Wh. Ash 18 in. diam?

40.00 Set tempy. gr. post.

63.75 a Cottonwood 30 in. dia.

80.50 Intersect E. boundary. 50 ft. N. of post.  
 Land & Timber the same.

West Corriet line Between Sec. 11 & 14.

17.60 a Cottonwood 26 in. diam.

40.25 Set gr. Sec. post, gr. ash.

a Poplar 30 in. dia. bet. South 25 W. at.

a Spruce 14 " " " North 15 " "

57.85 a Beech 18 in. diam.

80.50 Sec. cor.

North Between Sec. 10 & 11.

20.00 a Sugar 16 in. dia.

40.00 Set gr. Sec. post, from which

a N. Oak 30 in. dia. bet. N 17 E. 6 W. at.

a Do. 24 " " " N 17 W. 8 " "

60.75 a Water Beech 4 in. dia.

80.00 Set post cor. to Sec. 2, 3, 10 & 11.

a Hickory 8 in. dia. bet. N 81 E. 10 W. at.

a Do. 10 " " " N 85 W. 28 " "

Land &c. the same.

Wednesday May 29<sup>th</sup>

East On Random Bet<sup>n</sup> Sec. 2 & 11.

23.25 an Ironwood 6 in. diam.

40.00 Set gr. Sec. post (tempy.)



407

S 27 N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

old. W.

- 61.00 a Beech 14 in. diam.  
79.90 Intersect E. line at post.  
Land level but deeper timber  
is the same.
- 

West corner line Bet<sup>n</sup> Sec. 2 & 11.

- 39.95 Set gr. Sec. post, from which  
a Hickory 18 in. dia. bus. S 45 E. 3 1/2 bl. dist.  
an Elm 16 " " " S 65 W. 4 " "  
79.90 Sec. cor.
- 

North Between Sections 2 & 3.

- 21.00 a Beech 14 in. diam.  
40.00 Set gr. Sec. post, from which  
a Beech 18 in. dia. bus. S 45 E. 15 bl. dist.  
a Do. 8 " " " N 30 W. 35 " "  
61.60 a Do. 14 " "  
80.50 Intersect N. line at post and  
marked the cor. for Sec. 2 & 3.  
Land is the same.
- 

North Between Sec. 33 & 34.

- 21.00 a Hickory 16 in. diam.  
40.00 Set gr. Sec. post, from which  
a Beech 12 in. dia. bus. S 88 W. 25 bl. dist.  
a Dogwood 5 " " " S 88 E. 20 " "  
61.25 a Buckeye 5 " "  
80.00 Set post cor. to sec. 27, 28 33 & 34,  
an Ironwood 5 in. dia. bus. S 45 E. 6 bl.  
a H. Oak 24 in. dia. bus. West 20 "  
Land dry rolling good land. Fair.  
Beech, Oak, Hickory & Ash, Sugar,  
Elm, Spruce &c. and gr. of all kinds  
and very plenty.
- 

East On Random Bet<sup>n</sup> Sec. 27 & 34.

408 S. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ga.

Ch. H.

16.70 a Wh. ash 4 in. dia.  
40.00 Set temp. gr. post.  
80.00 Intersect E. boundary. 100 lb. S. of post.  
Land &c., the same.

---

West Correct line Bet<sup>h</sup> Sect. 27 & 34.

20.20 a Hickory 13 in. dia.  
40.00 Set gr. Sec. post, from which  
a Walnut 30 in. dia. bears N 5 E. 18 lb. dist.  
a Buckeye 6 " " " S 23 W 16 " "  
63.30 a Hickory 18 " "  
80.00 Sec. cor.

---

North Between Sect. 27 & 28.

20.75 a H. Oak 14 in. dia.  
40.00 Set gr. Sec. post, from which  
a Wh. Oak 8 in. dia. bears S 26 W. 25 lb. dist.  
a H. 12 " " " N 1 E. 10 " dist.  
62.70 a Hickory 14 in. dia.  
80.00 Set post Cor. to Sect. 21, 22, 27 & 28.  
a Beech 14 in. dia. bears S 67 E. 23 lb. dist.  
a Dogwood " " " S 86 W. 12 " "  
Land not described  
Thursday May 30<sup>th</sup>

---

East On Random Bet<sup>h</sup> Sect. 22 & 27.

16.30 a Beech 12 in. dia.  
40.00 Set temp. gr. post.  
80.00 Intersect E. line 15 lb. S. of post.  
Land, flat and wet. Timber  
the same except Sugar.

---

West Correct line Bet<sup>h</sup> Sect. 22 & 27.

20.00 a Hickory 13 in. dia.  
40.00 Set gr. Sec. post, from wh.  
a H. Oak 12 in. dia. bears N 40 E. 6 lb. dist.

409

E. L. N. R. 12 E. 2<sup>nd</sup> Mer. Pa.

Ch. Sk.

a Beech 12 in. dia. bs. S 4 W. 18 lb. dist.  
80.00 Sec. cor.

---

North Between Sec. 21 & 22.

20.00 a Hickory 14 in. diam.

40.00 Set gr. sec. post, fr. wh.

an Ironwood 4 in. dia. bs. S 4 W. 16 lb. &

a Wh. Oak 18 " " " N 4 E. 20 " dist.

62.50 a Do. 15 " "

77.00 a Stream 5 lb. wide C. W.

80.00 Set post cor. to sec. 15, 16, 21 & 22, -

a Wh. Oak 18 in. diam. bs. S 61 W. 12 lb. &

a Do. 14 " " " N 6 E. 20 " dist.

Land dry rolling. Limb. and  
width. Same.

---

East On Random Bet<sup>n</sup> Sec. 15 & 22.

20.75 a Wh. Oak 15 in. diam.

40.00 Set temporary gr. sec. post.

60.90 an Ironwood 6 in. diam.

79.95 Intersect E. line 15 lb. S. of post.

Land flat. Limb. &c. the same.

---

West correct line Bet<sup>n</sup> Sec 15 & 22.

39.97 Set gr. sec. post, fr. wh.

a Beech 14 in. dia. bs. N 15 E. 5 lb. dist.

a Do. 18 " " " S 51 W. 25 " "

79.95 Sec. cor.

---

North Between Sec. 15 & 16.

22.70 a Wh. Oak 6 in. dia.

40.00 Set gr. sec. post, fr. which

a Bl. Ash 10 in. dia. bs. S 20 W. 15 lb.

a Hickory 5 " " " N 84 E. 5 " dist.

61.15 a Beech 14 " "

80.00 Set post cor. to sec. 9, 10, 15 & 16, fr. wh.

T. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ia.

Ch. No.

a Beech 14 in. dia. bas. S 50 E. 4 lb. dist. &  
a Yph. Ash 20 in. dia. " N 75 W. 25 " "  
Land Limb. & Wood. the same.

East On Random Bet<sup>h</sup> Sec. 10 & 15.

19.75 a Wh. Oak 48 in. dia.

40.00 Set tempy. gr. post.

60.00 an Elm 14 in. dia.

79.60 Intersect E. line 50 lb. s. of post.  
Land &c. the same.

West Correct line Bet<sup>h</sup> Sec. 10 & 15.

19.75 a Beech 10 in. dia.

39.80 Set gr. Sec. post. fr. wh.  
a Beech 16 in. dia. S 10 W. 8 lb. dist. &  
a Lyrus 14 " " N 15 W. 20 " "

79.60 See. loc.

North Between Sec. 9 & 10.

20.20 a Beech 5 in. diam.

40.00 Set gr. Sec. post. fr. wh.

a Beech 14 in. dia. bas. N 32 W. 5 lb. dist  
a Do. 8 " " " S 32 E. 26 " "

60.75 a Water Beech 6 in. diam.

80.00 Set post Cor. to Sec. 3, 4, 9, & 10 fr.  
a Yph. Ash 20 in. dia. bas. N 60 E. 5 lb. dist.  
a Wh. Oak 14 in. " " N 77 W. 20 " "  
Land & Limb. the same.

East On Random Bet<sup>h</sup> Sec. 3 & 10.

20.10 a Lyrus 10 in. diam.

40.00 Set tempy. gr. Sec. post.

79.80 Intersect E. line 10 lb. s. of post.  
Land &c. the same.

West Correct line Bet<sup>h</sup> Sec. 3 & 10.



411  
T. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ia.

Ch. 40

- 19.50 a wh. ash 6 in. diam.  
39.90 Set cr. Sec. post, fr. wh.  
a wh. Ash 4 in. dia. (bs. N 22 E. 10 lb. dist.)  
a B<sup>l</sup>. Oak 14 " " " S 17 E. 12 " "  
79.80 Sec. Spr.
- 

North Between Sect. 3 & 4.

- 21.65 a Hickory 12 in. diam.  
40.00 Set cr. Sec. post, from wh.  
a wh. Ash 4 in. dia. (bs. N 8 W. 10 lb. dist.)  
a Do. 4 " " " S 6 E. 6 " "  
58.00 a Beech 6 " "  
81.40 Intersect the North Boundary. 20 lb.  
W. of post & Set post Cor. to Sec. 3 & 4.  
a wh. Ash 15 in. dia. (bs. S 11 W. 18 lb. dist.)  
an Elm 16 " " " N 75 E. 20 " "  
Land & Limb: the Same.
- 

North Between Sect. 32 & 33.

- 18.75 a Bl. Ash 4 in. diam.  
40.00 Set cr. Sec. post, fr. wh.  
a Beech 10 in. dia. (bs. S 84 W. 13 lb. dist.)  
a wh. Ash 12 " " " S 57 E. 30 " "  
58.95 a Blue Ash 7 in. diam. 28 & 29  
80.00 Set post Cor. to sec. 32 & 33, fr. wh.  
on the Wabash River, fr. wh.  
a Beech 12 in. dia. (bs. S 60 E. 12 lb. dist.)  
a Spruce 11 " " " N 6 E. 20 " "  
Land good as usual Limb: & the  
Same as last mile.
- 

East On Meander Bet<sup>h</sup> Sect. 28 & 33.

Dist. across the River 2.62.

- 21.60 a wh. Ash 15 in. dia.  
40.00 Set tempy. cr. post.  
60.30 a Beech 12 in. dia.



Sec 27 N. R. 12 E. 2<sup>nd</sup> Mer. Pa.  
Ch. 40.

80.00 Interest & boundary at post.  
Land &c, the same.

West corner line Bet<sup>h</sup> Secs 28 & 29.  
40.00 set op. sec. post, fi. wh.  
a wh. Ash 18 in. dia. br. N 66 E. 5 1/2 ft.  
a Beech 10 " " " N 75 W. 4 " ft.  
77.38 The Wabash Cor. on the East  
Bk. a post, from which  
a Walnut 30 in. dia. br. S 68 E. 20 ft. dist.  
a Water Beech 8 " " " N 20 W. 25 " "  
The Cor. on the W. Bk. of River is  
the sec. cor.

North Between Secs 28 & 29.  
Begun on the River at the sec.  
cor. Dist. North across the  
River 6.00 set post on the  
North side cor. to Secs 28 & 29,  
a Locust 10 in. dia. br. S 53 E. 51 ft. dist.  
a Buckeye 14 " " " N 52 E. 60 " "  
16.50 a Cherry 6 " "  
37.00 a stream 10 ft. wide @ S. W.  
40.00 set op. sec. post, from which  
a Beech 6 in. dia. br. S 42 E. 19 ft. dist.  
a Do. = " " " N 42 W. 8 " "  
78.00 a stream 18 ft. wide @ S. W.  
59.46 a Beech 12 in. diam.  
80.00 set post cor. to Secs 20, 21, 28 & 29, fi. wh.  
a Spruce 14 in. dia. br. N 61 E. 3 1/2 ft. dist. &  
a Buckeye 5 " " " N 6 W. 14 " "  
Land, good, 2<sup>nd</sup> bottom. Timber the  
same with Mulberry, Blackberry &c.  
and Thorn, Hawberry, Apple, Spice  
Grape &c. &c.

S 27 N. 86.12 E. 2<sup>nd</sup> Mer. Ind. <sup>413</sup>  
ch. W.

East On Random Between sec. 21 & 28.

2.00 a stream 8 ft. wide crs. C.

19.35 an Ironwood 6 in. dia.

40.00 Set temporary. gr. post.

59.20 a Hickory 12 in. diam.

80.00 Entered E. boundary. at the post.

Rolling dry land 2<sup>nd</sup> rate. Timber  
Oak, Hickory, Beech Ironwood and some  
Ash. and yth. the same.

---

West correct line Bet<sup>h</sup> sec. 21 & 28.

40.00 Set gr. sec. post, fr. wh.

a Hickory 14 in. dia. bis. S 22 E. 30 ft. dist.

a Walnut 12 in. " N 22 W. 19 " "

80.00 Sec. line.

---

North Between sec. 20 & 21.

21.05 a Hickory 14 in. diam.

40.00 Set gr. sec. post, from which

a Wh. Ash 30 in. diam. bears. S 27 E. 60 ft. dist.  
an Ironwood 5 " " N 27 W. 6 " "

60.75 a Wh. Ash 26 in. diam.

80.00 Set post cor. to sec. 16, 17, 20 & 21, fr. wh.

a Buckeye 5 in. dia. bis. S 32 W. 5 ft. dist.

a Dogwood 5 " " N 3 E. 10 " "

Rolling 2<sup>nd</sup> rate land Timber  
& wood. yth. same.

---

East On Random Bet<sup>h</sup> sec. 16 & 21.

22.50 a Hickory 10 in. diam.

40.00 Set temporary. gr. sec. post.

61.30 a Hickory 12 in. dia.

80.00 Entered E. bdy. 15 ft. S. of post.

Wood. very plenty of all kinds.  
Timber and land the same.

414 S. D. N. R. 12 E. 2<sup>nd</sup> Mer. Ia.

Ch. M.

West Correct line Bet<sup>n</sup> Sec. 16 & 21.  
 18.70 a Hickory 14 in. diam.  
 40.00 Set gr. sec. post, from which  
 a Hickory 10 in. dia. bet. N 32 E. 4 W. dist.  
 a Wh. Oak 30 " " " S 66 E. 12 " "  
 57.50 a Beech 10 " "  
 80.00 Sec. cor.

North Between Sec. 16 & 17.  
 17.00 a stream 5 W. wide C. S. W.  
 19.90 a Beech 13 in. diam.  
 21.00 same stream C. S. E.  
 25.00 the same C. S. W.  
 40.00 Set gr. sec. post, from wh.  
 a R. Oak 30 in. dia. bet. S 81 E. 20 W. dist.  
 a Hickory 14 " " " N 60 W. 10 " "  
 62.00 a Beech 14 " "  
 80.00 Set post cor. to sec. 8, 9, 16 & 17. from wh.  
 an Ironwood 5 in. dia. bet. N 29 E. 8 W. dist.  
 a Dogwood 5 " " " S 80 W. 12 " "  
 Land & Limb. the same.

East On Random Bet<sup>n</sup> Sec. 9 & 16.  
 12.50 a stream 8 W. wide C. S. W.  
 20.50 an Elm 12 in. dia.  
 40.00 Set temporary gr. post.  
 60.50 a Beech 6 in. diam.  
 80.00 Intersect E. Bdy. 50 W. E. of post.  
 Land & c. the same - less ind. gth.

West Correct line Bet<sup>n</sup> Sec. 9 & 16.  
 18.70 a Ironwood 4 in. diam.  
 40.00 Set gr. sec. post, from wh.  
 a Hickory 14 in. dia. bet. S 83 E. 5 W. dist.  
 a R. Oak 13 " " " S 45 W. 14 " "  
 80.00 Sec. cor.

445

S.D. N. R. 12 E. 2<sup>nd</sup> Mer. La.

Ch. 4th.

North Between Sec. 8 & 9.

21.51 a Wh. Oak 18 in. diam.

40.00 Set gr. Sec. post, fr. wh.

a Wh. Oak 10 in. dia. br. S 39 W. 8 lb. dist.

a Cherry 8 " " " S 54 E. 15 " "

59.85 an Elm 10 " "

53.00 a Stream 8 lb. wide crs. S. E.

80.00 Set post cor. to Sec. 4, 5, 8 & 9, fr. wh.

an Elm 4 in. dia. br. South, 20 lb. dist.

a Hickory 4 " " " S 8 E. 10 " "

Land & rate level. Thin, & und. same.

East All Moundon Bet<sup>n</sup> Sec. 4 & 9.

20.40 a Beech 7 in. dia.

28.50 a Stream 10 lb. wide c. S. W.

Thence up the Stream crossing it several times.

40.00 Set temporary gr. post.

65.50 crossing the Stream running westerly,

61.40 an Elm 13 in. dia.

80.50 Intersect E. line 50 lb. S. of post.

Land &c. the same.

West Correct line Bet<sup>n</sup> sec. 4 & 9.

20.20 a Beech 13 in. dia.

40.25 Set gr. Sec. post from wh.

a Beech 14 in. dia. br. S 47 W. 10 lb. dist.

a Do. 15 " " " S 65 E. 12 " "

80.50 Sec. cor.

North Between Sec. 4 & 5.

2.40 a Stream 10 lb. wide c. S. W.

20.50 a Hickory 18 in. diam.

40.00 Set gr. Sec. post, fr. wh.

a Hickory 12 in. dia. br. North, 10 lb. &

an Ironwood " " " S 68 E. 12 " dist.



S. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ia.Ch. 1<sup>st</sup> 1<sup>st</sup>

61. 25 a Sugar 16 in. diam.  
 82. 50 Intersect North Body. 60 lb. W. of post.  
 and set post Cor. of Sec. 4 & 5. 4<sup>th</sup> 4<sup>th</sup>.  
 a Sugar 18 in. dia. 4<sup>th</sup> 4<sup>th</sup>, 15 lb. dist. &  
 a Beech 12 " " " 14 E. 20 " "  
 Land, rolling & good Limb. &c.  
 the same.

North Between Sec. 31 &amp; 32.

10. 60 a Stream 5 lb. wide C. N. W.  
 20. 75 an Ironwood 5 in. dia.  
 40. 00 Set gr. Sec. post, from which  
 a Beech 6 in. dia. 4<sup>th</sup> 4<sup>th</sup>, 30 lb. dist.  
 a Do. 11 " " " N 72 W. 23 " "  
 43. 50 a Stream 20 lb. wide C. N. E.  
 60. 20 an Ironwood 4 in. diam.  
 80. 00 Set post Cor. to Sec. 29, 31, 31 & 32, 4<sup>th</sup> 4<sup>th</sup>.  
 a Beech 12 in. dia. 4<sup>th</sup> 4<sup>th</sup>, 30 lb. dist.  
 a Do. 14 " " " N 87 W. 10 " "  
 Land, rolling dry. Limb. Beech,  
 Oak, Hickory, Ash, Elm, Lymbe  
 and. Spruce, W. Beech, Pawpaw, Ironwood &c.

East On Random Body Sec. 29 &amp; 32.

15. 01 a Stream 5 lb. wide C. S. E.  
 20. 40 a Buckeye 10 in. diam.  
 40. 00 Set tempy. gr. post.  
 60. 00 a Stream 20 lb. wide C. N.  
 60. 14 an Elm 18 in. diam.  
 79. 60 Intersect E. body. at post on bank of  
 the River. Land, &c. the same.

West Correct line Bet<sup>n</sup> Sec. 29 & 32.

39. 80 Set gr. Sec. post, 4<sup>th</sup> 4<sup>th</sup>.  
 a Thorn 4 in. dia. 4<sup>th</sup> 4<sup>th</sup>, 10 lb. dist. &  
 a W. Beech 4 in. " " N 12 E. 12 " "

T 27 N. R. 12 E. 2<sup>nd</sup> Mer. La. 417  
79.60 sec. cor.

West Between sec. 30 & 31.

19.60 a Beech 10 in. diam.  
40.00 Set gr. sec. post, fr. which  
a Bl. Ash 12 in. dia. bears S 75 W. 15 lb. dist.  
a Do. 6 " " " N 75 E. 8 " "  
61.50 a Do. 6 " "  
78.50 Intersect the W. Boundary 25 lb. S.  
of post, & set post cor. to sec. 30 & 31,  
a Beech 18 in. dia. bears N 10 E. 25 lb. dist. &  
a Do. 8 " " " South 25 " "  
Land, flat wet. Timb. &c. the same  
as last except sugar.

North Bet<sup>n</sup> sections 29 & 30.

12.50 a stream 5 lb. wide C. S. E.  
21.10 a Spruce 10 in. diam.  
40.00 Set gr. sec. post, fr. wh.  
a Beech 20 in. dia. bears S 88 W. 50 lb. dist.  
a Do. 16 " " " N 4 E. 50 " "  
60.90 a Wh. Oak 24 in. diam.  
80.00 Set post cor. to sec. 19, 20, 29 & 30  
a Wh. Ash 20 in. dia. bears N 63 W. 20 lb. dist.  
a Beech 12 " " " S 6 E. 28 lb. dist.  
Dry level Land. Timb. &c. the  
same as on last mill.

East On Kandam Bet<sup>n</sup> sec. 20 & 29.

20.00 a Wh. Ash 24 in. diam.  
40.00 Set tempy. gr. sec. post.  
43.50 The Wabash River. Dist. across  
the River 2.50. - -  
61.50 a Sugar 16 in. diam.  
79.90 Intersect E. bdy. 10 lb. N. of post.  
Land excellent. Timb. &c. the same.

T. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ia.

Ch. 1st.

Wet Correct line Bet<sup>n</sup> Sec. 20 & 29.

20.50 a Sugar 14 in. dia.

33.91 set post on the E. side of the  
Wabash River, fr. wh.

a Wh. Oak 12 in. dia. brs. N 75 E. 25 lb. dist.

a Lyrus 15 " " " N 38 E. 40 " "

The cor. on the W. Bk. fr. wh.

a Buckeye 12 in. dia. brs. S 21 W. 10 lb. dist.

a Do. 10 " " " N 6 W. 25 " "

39.95 set gr. sec. post, fr. wh.

a Hackberry 8 in. dia. brs. N 18 E. 14 lb. dist.

a Do. 18 " " " N 14 W. 28 " "

79.90 Sec. lev.

Wet Between Sec. 19 & 31.

21.00 a Bl. Ash 5 in. diam.

40.00 set gr. sec. post, fr. wh.

a Beech 15 in. dia. brs. N 85 E. 30 lb. dist.

a Do. 10 " " " N 46 W. 18 " "

60.90 a Beech 18 in. dia.

78.00 Intersect W. Boundary. 55 lb. N. of  
Post & set post cor. to Sec. 19 & 31, fr. wh.  
a W. Oak 20 in. dia. brs. N 63 E. 23 lb. dist.  
a Lyeamore 16 in. dia. S 67 E. 50 " "  
Land, level and wet. Timber, &c.  
the same.

North Between Sections 19 & 20.

20.15 a Sugar 24 in. dia.

40.00 set gr. sec. post, from which

a Beech 18 in. dia. brs. S 56 W. 10 lb. dist.

a Do. 14 " " " N 10 W. 14 " "

68.50 an Ironwood 5 in. diam.

80.00 set post cor. to Sec. 17, 18, 19 & 20.

a Wh. Ash 10 in. dia. brs. N 28 E. 15 lb. dist.

a Do. 4 " " " S 30 W. 30 " dist.



419

T 27 N. R. 12 E. 2<sup>nd</sup> Mer. Pa.  
Ch. 1<sup>st</sup> Mt.

Land & Limb. nearly the same.

---

East On Random Bet<sup>n</sup> Sec. 17 & 20.

16.50 The Wabash River. Dist. across  
the River 1.60 lb.

40.00 Set limby. gr. sec. post.

59.85 an Iron wood 5 in. diam.

70.00 a stream 8 lb. wide c. S.W.

80.60 Intersect E. bdy. at post.

Land &c, the same.

---

West Correct line Bet<sup>n</sup> Sec. 17 & 21.

40.30 Set gr. sec. post. fr. wh.

a Beech 18 in. dia. bds. N 6 E. 18 lb. dist. &

a Do. 10 " " " S 6 W. 25 " "

62.00 The E. Bk. of River and set a  
post on margin, fr. wh.

a Hackberry 12 in. dia. bds. N 8 E. 14 lb. dist.

a Hickory 6 " " " N 85 W. 18 " "

The Cor. on the W. Bk. of River

an Elm 20 in. dia. bds. N 6 E. 14 lb. dist. &

a Buckeye 14 in. dia. " N 6 W. 35 " "

80.60 Sec. loc.

---

West Between Sections 18 & 19.

20.60 a Beech 14 in. dia.

40.00 Set gr. sec. post. fr. wh.

a Beech 14 in. dia. bds. S 75 E. 14 lb. dist.

a Do. 15 " " " S 71 W. 25 " "

60.25 a Do. 18 " "

78.50 Intersect the W. Bdy. 110 lb. N. of post.

& set post Cor. to Sec. 18 & 19. fr. wh.

a Br. Oak 18 in. dia. bds. S 64 E. 50 lb. dist. &

a Gr. Ash 10 " " " North 20 " "

Land &c, on 1<sup>st</sup> half mile the same.

Last 1/2 level & wet.



420 T. 27 N. Sec. 12 E. 2<sup>nd</sup> Mer. Ia.

Ch. 1/2

North Between Secs 17 & 18.

15.50 To the South Pok. of the Wabash  
& set post, fr. wh.  
a Hickory 5 in. dia. (bs. S 60 E. 11 N. 25 ft.)  
a Do. 5 " " " N 60 W. 25 " "

22. 10 Crossed the Island & came to the  
River again. Set north across  
the River 3. 10. The Cor. on the N.  
side, a post, fr. wh.  
a Buckeye 14 in. dia. (bs. N 60 E. 40 N. 20 ft.)  
a Do. 12 " " " S 17 E. 16 " "

40.00 Set gr. Sec. post, fr. wh.  
a Beech 20 in. dia. (bs. S 5 E. 45 N. 20 ft.)

57.50 an Elm 6 " " " N 55 W. 8 " "

59.90 a Dogwood 6 in. dia.

80.00 Set post Cor. to Secs 7, 8, 17 & 18, fr. wh.  
a Beech 12 in. dia. (bs. South 35 N. 20 ft.)  
a Do. 16 " " " N 14 W. 18 " "  
Land rolling & good

---

East On Handson Bet<sup>n</sup> Secs 8 & 17.

10.00 a stream 10 ft. wide c. S. W.

20.75 a Wh. ash 24 in. diam.

40.00 Set gr. Sec. post, fr. wh. (Lumpy.)

80.00 Intersect E. bdy. at post.

Rolling good land. Limb. is  
the same as before.

---

West Correct line Bet<sup>n</sup> Secs 8 & 17.

40.00 Set gr. Sec. post, fr. wh.

a Hickory 4 in. diam. (bs. N 60 W. 20 ft.)  
a Wh. ash 16 " " (bs. S 60 E. 11 N. 25 ft.)

80.00 Sec. Cor.

---

North Between Secs 7 & 8.

10.50 a stream 10 ft. wide c. S. E.

421

S. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Pa.  
do. 9th.

20.00 a Beech 16 in. diam.

26.00 a stream 10 lb. wide c. S.W.

40.00 Set gr. Sec. post, fr. wh.

a Beech 18 in. dia. (vs. N 59 W. 4 lb. dist. &

a Buckeye 4 in. dia. (vs. S 5 E. 25 " "

62.75 a Beech 12 " "

80.00 Set a post, Cor. to Sec. 5, 6, 7 & 8.

a Beech 18 in. dia. (vs. N 55 E. 14 lb. dist.)

a Do. 16 " " " S 55 W. 40 lb. dist.

Land &c, the same.

---

East On Random Bet<sup>h</sup> Sec. 5 & 8.

21.41 a Sugar 12 in. dia.

40.00 Set tempy. gr. Sec. post.

80.00 Intersect E. boundary at post.

Land good Limb. &c, the same.

---

West Corner line Bet<sup>h</sup> Sec. 5 & 8.

40.00 Set gr. Sec. post, fr. wh.

a Wh. Oak 30 in. dia. (vs. N 58 E. 25 lb. dist.)

a Water Beech 4 " " " S 86 W. 12 " dist.

80.00 Sec. Cor.

---

West Between Sec. 6 & 7.

20.10 a Hickory 14 in. diam.

40.00 Set gr. Sec. post, fr. wh.

a Lyrum 16 in. dia. (vs. S 77 W. 30 lb. dist.)

a Water Beech 5 in. dia. (vs. N 77 E. 14 lb. dist.)

60.40 a Water Beech 6 " "

78.20 Intersect W. Boundry. 90 lb. S. of post.

& set post cor. to Sec. 6 & 7, fr. wh.

a Beech 18 in. dia. (vs. N 25 E. 40 lb. dist.)

a Do. 14 " " " S 33 E. 25 " "

Land &c, the same.

---

North Between Sec. 5 & 6.

T. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ia.

Ch. 2<sup>nd</sup>.

21.10 An Iron rod 5 in. diam.

40.00 Set gr. sec. post, fr. wh.

a Wh. Oak 36 in. dia. br. S 5 E. 15 lb.

a Do. 30. " " " S 63 W. 40 " st.

60.12 An Iron rod 4 in. dia.

83.30 Intersect The North Boundary at  
60 lb. West of Post & Set post cor.  
to sections 5 & 6, fr. wh.

a Beech 14 in. dia. br. S 45 W. 15 lb. st.

a Dog 4 " " " S 47 E. 28 " "

Land &c, the same.

West Between sections 7 & 18.

23.75 a Beech 14 in. diam.

40.00 Set gr. sec. post, fr. wh.

a Beech 15 in. dia. br. S 70 E. 20 lb. st.

a Do. 14 " " " N 49 W. 30 " "

61.00 The Bk. of the River and Set  
post cor. to sec. 7 & 18, fr. wh.

a Wh. Oak 12 in. dia. br. N 31 W. 2 lb. st.

a Do. 12 " " " S 3 E. 18 lb. st.

Land excellent. Timber accordingly.  
This line follows The River the rest  
of the way.

Township 8<sup>th</sup> 27 North in Range  
N. 12 East, 2<sup>nd</sup> Meridian in the  
State of Indiana was surveyed  
in 1822 -

By

Price H. Kellogg,  
Dep. Sur.

T. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ia. 423

I certify that the foregoing <sup>and following</sup> transcripts  
of the field notes of Township N. 27  
North in Range N. 12 East, 2<sup>nd</sup>  
Meridian in Indiana, has been  
compared with the original in  
this office, and found to be correct.

Surveyor General's Office,  
Cincinnati, Feb. 4<sup>th</sup> 1845.

William Johnston  
Sur. Genl.



L. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Ia.

Meanders on the Eastern shore of the Wabash River beginning on the West boundary Thence up the River.

Courses chs. lks

N 80 E	5.50	In sec. 7
S 87 E	5.00	
S 66 E	6.50	
S 40 E	3.50	To post in line of Secs 7 & 18

S 37 E	6.50	In Sec. 18
S 22 E	6.00	
S 3 E	4.50	
S 5 W	5.50	
S 66 E	5.00	
S 70 E	7.00	
S 58 E	19.50	Stream 25 at 18.00
S 45 E	5.00	
S 51 E	11.00	
S 36 E	5.00	
S 79 E	7.50	The lower end of an Island bears S 6 E. 2.50
N 45 E	6.50	To post in line of Secs 17 & 18 at 2.50

S 63 E	9.00	In Sec 17.
S 24 E	3.00	
S 33 W	3.00	
S 73 W	4.50	
S 49 W	5.00	
S 36 E	2.50	
S 58 E	4.00	

The River rapid stony bottom, probably about the 1st. There is to had a mill seat.

N 86 E	6.50	
S 43 E	3.50	
S 20 E	4.00	
S 3 W	5.86	To post in line of Secs 17 & 20.

L. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Pa. 425

Courses dis. lks.

South 8.00	In Sec. 20
S 25 W 3.00	a stream 10 lks. wide at 2.50
S 3 W 6.00	
S 13 E 3.50	
S 7 W 3.00	
S 24 E 3.50	
S 35 E 11.00	
S 25 E 5.00	
S 27 E 16.00	a stream 8 at 9.50
S 49 E 5.00	
S 16 W 3.50	
S 56 W 7.00	
S 11 E 8.00	a stream 8 lks. wide at 1.50
S 89 E 5.00	
S 72 E 6.50	
S 32 E 5.00	
S 7 1/2 E 5.00	To post in line of Sects 20 & 29 at 1.60

In Sec 29

S 17 E 6.00	a stream 8 at the end of the dis.
S 48 W 7.00	
S 25 W 4.50	
S 2 W 15.00	
S 14 E 9.00	
S 25 E 5.50	
S 53 E 8.00	
S 89 E 10.50	
S 82 E 11.50	
S 44 E 9.00	a stream 5 at 1.50
S 6 E 7.00	
S 24 E 10.00	To post in line of Sects 28 & 29

In Sec. 28

S 34 E 7.00	a stream 10 at 6.50 To post in line of Sects 28 & 33
-------------	--

S 47 E 6.50	In Sec 33
-------------	-----------

S. 27 N. R 12 E. 2<sup>nd</sup> Mer. Pa

Course d. W. P. H.

S 34 E 8.00

S 18 E 4.00

S 10 W 4.50

S 14 E 7.50

S 13 E 3.50

S 69 E 11.10

S 83 E 6.50

S 57 E 3.50

S 11 E 3.50

S 32 E 6.00

S 11 E 4.50

S 6 W 7.50

S 24 E 9.00

S 80 E 7.00

S 14 E 4.50

S 19 W 3.00

S 51 W 5.00

S 3 E 2.00

Intersected the South boundary of this Town.

Meadows of the Wabash River beginning  
on the West boundary at the cor. thence  
up the river South side.

N 83 E 9.00 In Sec. 18.

S 63 E 8.50 S. post in line of Sec 7 & 18 at 6.50

S 34 E 7.11

S 23 E 4.11

S 5 W 12.11

S 45 E 6.50

S 56 E 7.51

S 61 E 3.50

S 75 E 7.11

S 62 E 5.11

S 50 E 7.11

S 57 E 7.11

S 53 E 8.51

S 43 E 6.50

In Sec 7.

427

L. 27 N. R. 12 E. 2<sup>nd</sup> Mer. Pa.

Courses	Dist. Mts.	
S 67 E	6.25	
S 45 1/4 E	19.50	To post in line of Secs 17 & 18. at 4.50
S 79 E	10.00	In Sec. 17.
S 4 E	6.00	To post in line of Secs 17 & 20
South	6.50	In Sec. 20
S 15 W	9.50	
S 34 E	7.50	
S 20 E	6.50	A stream. 8. at 1.00
S 45 E	5.00	
S 31 E	5.50	
S 28 E	14.00	
S 22 E	10.00	
S 39 W	7.50	
S 20 E	11.00	
S 85 E	8.25	
S 60 E	2.50	
S 35 E	3.50	To post in line of Secs 20 & 29.
S 6 E	3.50	In Sec. 29.
S 45 W	6.50	
S 28 W	11.50	
S 47 E	18.00	
S 21 E	11.50	
S 54 1/2 E	7.50	
S 82 E	15.00	
N 85 E	3.50	
S 59 E	11.00	
S 16 1/2 E	15.75	
S 30 E	6.00	Intersected the cor. to Secs 28 & 29 32 & 33 on the River.
S 34 E	3.00	In Sec. 33.
S 47 E	6.50	
S 30 E	8.00	



*L. 27 N R 12 E. 2<sup>nd</sup> Mer. Pa.*

<i>Crs.</i>	<i>Ch. 1/2<sup>nd</sup></i>
<i>S 18 E</i>	<i>4.00</i>
<i>S 10 W</i>	<i>4.50</i>
<i>S 14 E</i>	<i>7.50</i>
<i>S 43 E</i>	<i>3.50</i>
<i>S 69 E</i>	<i>12.00</i>
<i>S 83 E</i>	<i>6.50</i>
<i>S 50 E</i>	<i>2.00</i>
<i>S 11 E</i>	<i>3.00</i>
<i>S 32 E</i>	<i>6.00</i>
<i>S 11 E</i>	<i>4.50</i>
<i>S 6 W</i>	<i>7.50</i>
<i>S 24 E</i>	<i>10.75</i>
<i>S 80 E</i>	<i>7.00</i>
<i>S 14 E</i>	<i>2.50</i>
<i>S 19 W</i>	<i>3.00</i>
<i>S 51 W</i>	<i>5.00</i>
<i>S 3 E</i>	<i>2.50</i>

*Intersected the South Boundary.*

*Meanders of an Island in Sec. 17 & 18  
in 1<sup>st</sup> Township on the Wabash River  
beginning on the line between Sec. 17 & 18  
on the N. Side thence down.*

<i>S 34 W</i>	<i>3.20</i>	<i>To the lower end.</i>
<i>S 32 E</i>	<i>6.00</i>	<i>To the upper end.</i>
<i>N 60 E</i>	<i>9.60</i>	
<i>N 55 W</i>	<i>2.00</i>	
<i>N 77 W</i>	<i>1.60</i>	
<i>N 61 W</i>	<i>4.50</i>	
<i>S 52 W</i>	<i>3.10</i>	<i>To the beginning.</i>